	Application No.	Applicant(s)	
Notice of Allowability	09/981,700	MATSUDA ET AL.	• •
	Examiner	Art Unit	: 1
	Jason T. Whipkey	2622	•.
	Jason 1. Whilpkey	2022	3'
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to the amendment filed 19 June 2006.			
2. 🔀 The allowed claim(s) is/are <u>1-20 (now renumbered 1-4,8-11,15-17,5-7,12-14 and 18-20, respectively)</u> .			
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:			
1. ☑ Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No.			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			•
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
5. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			,
1. Notice of References Cited (PTO-892)	5. D Notice of Informal Pa	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.  ☐ Interview Summary ( Paper No./Mail Date		
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. 🛭 Examiner's Amendm		
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. Examiner's Statemen	nt of Reasons for Allov	vance
	9.  Other	, In	Se

VIVEK SRIVASTAVA
SUPERVISORY PATENT EXAMINER
FEGHPALAGYMENTER & \$600.000016

Application/Control Number: 09/981,700

Art Unit: 2622

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael DeHaemer on September 18, 2006.

- 2. The application has been amended as follows:
  - In claim 5 on line 7, replace "the scanning mechanism" with -- a scanning mechanism --.
  - In claim 17 on line 3, replace "shooting portion." with -- shooting device. --.
  - In claim 20 on line 3, replace "shooting portion." with -- shooting device. --.
  - In claim 22 on line 3, replace "photoelectrically converting" with -- image shooting --.
  - In claim 23 on line 4, replace "the shift amount for each split image, wherein" with -- a shift amount for each split image detected by the detector, wherein --.
  - In claim 24 on line 3, replace "photoelectrically converting" with -- image shooting --.

Art Unit: 2622

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Whipkey, whose telephone number is (571) 272-7321. The examiner can normally be reached Monday through Friday from 9:00 A.M. to 5:30 P.M. eastern daylight time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivek Srivastava, can be reached at (571) 272-7304. The fax phone number for the organization where this application is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JTW

September 16, 2006

VIVEK SRIVASTAVA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600